
KESTREL
DRIVE & MOTION PARTS

Revision 1 · November 9, 2026

BEARINGS, PUMPS, MOTORS AND HYDRAULICS FOR MAINTENANCE TEAMS

Wholesale Catalog 2027

50 products · 6 categories



01	Bearings	10
02	Pumps	8
03	Motors	8
04	Valves	9
05	Hydraulics	8
06	Power Transmission	7

Tel +1 555 0145
Email parts@kestrel-motion.example
Web kestrel-motion.example

Scan for the latest online version
greatlyboard.com/c/demo-industrial-equipment

All prices in USD.

Product information supplied by Kestrel Drive & Motion Parts.

Bearings

10 products

PART NO.	PRODUCT	MANUFACTURER	MODEL	PART NUMBER	SPECIFICATIONS	UNIT	PACK	MOQ	PRICE USD
BR-0011	Deep Groove Ball Bearing 6201-2RS	Norvane	6201-2RS	NV-6201-2RS	Dimensions 12 × 32 × 10 mm Weight 0.037 kg Operating specification Sealed both sides	piece	10	10	**1.35**
BR-0012	Deep Groove Ball Bearing 6202-2RS	Norvane	6202-2RS	NV-6202-2RS	Dimensions 15 × 35 × 11 mm Weight 0.045 kg Operating specification Sealed both sides	piece	10	10	**1.45**
BR-0013	Deep Groove Ball Bearing 6203-2RS	Norvane	6203-2RS	NV-6203-2RS	Dimensions 17 × 40 × 12 mm Weight 0.065 kg Operating specification Sealed both sides	piece	10	10	**1.60**
BR-0014	Deep Groove Ball Bearing 6204-2RS	Norvane	6204-2RS	NV-6204-2RS	Dimensions 20 × 47 × 14 mm Weight 0.106 kg Operating specification Sealed both sides	piece	10	10	**1.90**
BR-0015	Deep Groove Ball Bearing 6205-2RS	Norvane	6205-2RS	NV-6205-2RS	Dimensions 25 × 52 × 15 mm Weight 0.128 kg Operating specification Sealed both sides	piece	10	10	**2.20**
BR-0016	Deep Groove Ball Bearing 6305-2RS	Norvane	6305-2RS	NV-6305-2RS	Dimensions 25 × 62 × 17 mm Weight 0.232 kg Operating specification Sealed both sides	piece	10	10	**3.40**
BR-0017	Pillow Block Bearing UCP205	Norvane	UCP205	NV-UCP205	Dimensions Shaft Ø 25 mm Weight 0.8 kg	piece	4	4	**6.90**
BR-0018	Pillow Block Bearing UCP206	Norvane	UCP206	NV-UCP206	Dimensions Shaft Ø 30 mm Weight 1.1 kg	piece	4	4	**8.20**
BR-0019	Tapered Roller Bearing 30205	Norvane	30205	NV-30205	Dimensions 25 × 52 × 16.25 mm Weight 0.154 kg	piece	5	5	**4.60**
BR-0020	Needle Roller Bearing NK20/16	Norvane	NK20/16	NV-NK2016	Dimensions 20 × 28 × 16 mm Weight 0.03 kg	piece	10	10	**3.10**

Pumps

8 products

PART NO.	PRODUCT	MANUFACTURER	MODEL	PART NUMBER	SPECIFICATIONS	UNIT	PACK	MOQ	PRICE USD
PM-0101	Centrifugal Pump 0.75 kW	Kestrel	KP-25	KP-25-075	Weight 11 kg Operating specification Max 3.6 m³/h, 32 m head, 230 V	piece	1	1	**118.00**

Pumps

8 products

PART NO.	PRODUCT	MANUFACTURER	MODEL	PART NUMBER	SPECIFICATIONS	UNIT	PACK	MOQ	PRICE USD
PM-0102	Centrifugal Pump 1.5 kW	Kestrel	KP-30	KP-30-150	Weight 18 kg Operating specification Max 7.2 m³/h, 38 m head, 400 V	piece	1	1	**168.00**
PM-0103	Centrifugal Pump 3 kW	Kestrel	KP-50	KP-50-300	Weight 29 kg Operating specification Max 18 m³/h, 30 m head, 400 V	piece	1	1	**246.00**
PM-0104	Submersible Drainage Pump 0.4 kW	Kestrel	KS-04	KS-04-D	Weight 5.2 kg Operating specification Max 8 m³/h, 7 m head, 230 V	piece	1	1	**74.00**
PM-0105	Hydraulic Gear Pump 10 cc/rev	Tessgard	TG-10	TG-GP10-L	Weight 2.4 kg Operating specification 10 cm³/rev, max 210 bar, left rotation	piece	1	1	**96.00**
PM-0106	Diaphragm Dosing Pump 6 L/h	Kestrel	KD-6	KD-06-10	Weight 3.1 kg Operating specification 6 L/h at 10 bar, 230 V	piece	1	1	**212.00**
PM-0107	Mechanical Seal 25 mm	Kestrel		KP-SEAL-25	Dimensions Shaft Ø 25 mm Compatibility (as supplied) Kestrel KP-25 and KP-30 pumps (supplier data)	piece	2	2	**14.50**
PM-0108	Pump Impeller 132 mm	Kestrel		KP-IMP-132	Dimensions Ø 132 mm Compatibility (as supplied) Kestrel KP-30 pump (supplier data)	piece	1	1	**38.00**

Motors

8 products

PART NO.	PRODUCT	MANUFACTURER	MODEL	PART NUMBER	SPECIFICATIONS	UNIT	PACK	MOQ	PRICE USD
MT-0201	Three-Phase Induction Motor 0.75 kW, 4-Pole	Kestrel	KM-80-4	KM-075-4P	Weight 9.5 kg Operating specification 0.75 kW, 1450 rpm, 400 V, frame 80	piece	1	1	**92.00**
MT-0202	Three-Phase Induction Motor 1.5 kW, 4-Pole	Kestrel	KM-90S-4	KM-15-4P	Weight 14 kg Operating specification 1.5 kW, 1450 rpm, 400 V, frame 90S	piece	1	1	**128.00**
MT-0203	Three-Phase Induction Motor 2.2 kW, 4-Pole	Kestrel	KM-90L-4	KM-22-4P	Weight 17 kg Operating specification 2.2 kW, 1450 rpm, 400 V, frame 90L	piece	1	1	**154.00**
MT-0204	Three-Phase Induction Motor 4 kW, 4-Pole	Kestrel	KM-112M-4	KM-4-4P	Weight 28 kg Operating specification 4 kW, 1450 rpm, 400 V, frame 112M	piece	1	1	**214.00**
MT-0205	Three-Phase Induction Motor 7.5 kW, 4-Pole	Kestrel	KM-132M-4	KM-75-4P	Weight 52 kg Operating specification 7.5 kW, 1450 rpm, 400 V, frame 132M	piece	1	1	**362.00**

Motors

8 products

PART NO.	PRODUCT	MANUFACTURER	MODEL	PART NUMBER	SPECIFICATIONS	UNIT	PACK	MOQ	PRICE USD
MT-0206	Single-Phase Motor 1.1 kW	Kestrel	KM-90S-1PH	KM-11-1PH	Weight 13 kg Operating specification 1.1 kW, 2800 rpm, 230 V	piece	1	1	**118.00**
MT-0207	Helical Gear Motor 0.37 kW, 1:20	Tessgard	TG-GM037-20	TG-GM-03720	Weight 16 kg Operating specification 0.37 kW, output 70 rpm, 400 V	piece	1	1	**186.00**
MT-0208	Motor Fan Cover, Frame 90	Kestrel		KM-FC-90	Compatibility (as supplied) Kestrel KM frame 90 motors (supplier data)	piece	2	2	**6.50**

Valves

9 products

PART NO.	PRODUCT	MANUFACTURER	PART NUMBER	SPECIFICATIONS	UNIT	PACK	MOQ	PRICE USD
VL-0301	Brass Ball Valve ½"	Tessgard	TG-BV-050	Dimensions ½" BSP Operating specification PN25	piece	10	10	**4.30**
VL-0302	Brass Ball Valve ¾"	Tessgard	TG-BV-075	Dimensions ¾" BSP Operating specification PN25	piece	10	10	**5.85**
VL-0303	Brass Ball Valve 1"	Tessgard	TG-BV-100	Dimensions 1" BSP Operating specification PN25	piece	10	10	**8.40**
VL-0304	Cast Iron Gate Valve 2"	Tessgard	TG-GV-200	Dimensions 2" flanged Operating specification PN16	piece	1	1	**28.00**
VL-0305	Spring Check Valve 1"	Tessgard	TG-CV-100	Dimensions 1" BSP Operating specification PN16	piece	5	5	**6.20**
VL-0306	Butterfly Valve DN80	Tessgard	TG-BF-080	Dimensions DN80 wafer Operating specification PN16, EPDM seat	piece	1	1	**34.00**
VL-0307	Solenoid Valve ½", 24 V DC	Tessgard	TG-SV-050-24	Dimensions ½" BSP Operating specification Normally closed, 0–10 bar, 24 V DC	piece	2	2	**19.50**
VL-0308	Pressure Relief Valve ¾", 10 bar	Tessgard	TG-RV-075-10	Dimensions ¾" BSP Operating specification Set pressure 10 bar	piece	2	2	**12.80**
VL-0309	Float Valve 1"	Tessgard	TG-FV-100	Dimensions 1" BSP Operating specification Brass body, plastic float	piece	2	2	**9.60**

Hydraulics

8 products

PART NO.	PRODUCT	MANUFACTURER	PART NUMBER	SPECIFICATIONS	UNIT	PACK	MOQ	PRICE USD
HY-0401	Hydraulic Hose ½" 2SN (per metre)	Tessgard	TG-H2SN-08	Dimensions ID 12.7 mm Operating specification Working pressure 275 bar	m	50	25	**4.90**
HY-0402	Hydraulic Hose Fitting ½" BSP Female	Tessgard	TG-F08-BSPF	Dimensions ½" BSP	piece	10	10	**2.60**
HY-0403	Hydraulic Cylinder 50/30, Stroke 200 mm	Tessgard	TG-CY-5030-200	Dimensions Bore 50, rod 30, stroke 200 mm Operating specification Max 200 bar	piece	1	1	**84.00**
HY-0404	Directional Control Valve 4/3, CETOP 3	Tessgard	TG-DCV-43-03	Operating specification 24 V DC, max 315 bar	piece	1	1	**72.00**
HY-0405	Hydraulic Filter Element 10 µm	Tessgard	TG-FE-10	Operating specification 10 µm, glass fibre Compatibility (as supplied) Tessgard TG-FH filter housings (supplier data)	piece	4	4	**11.50**
HY-0406	Pressure Gauge 0–250 bar	Tessgard	TG-PG-250	Dimensions Ø 63 mm, ¼" BSP bottom Operating specification Glycerine filled	piece	5	5	**9.40**
HY-0407	Hydraulic Quick Coupler ½"	Tessgard	TG-QC-08	Dimensions ½" BSP	piece	4	4	**8.70**
HY-0408	Hydraulic Oil ISO VG 46, 20 L	Kestrel	KH-VG46-20	Operating specification ISO VG 46 (supplier data sheet)	pail	1	2	**46.00**

Power Transmission

7 products

PART NO.	PRODUCT	MANUFACTURER	PART NUMBER	SPECIFICATIONS	UNIT	PACK	MOQ	PRICE USD
TR-0501	Classical V-Belt A-42	Norvane	NV-A42	Dimensions 13 × 8 mm, Li 1067 mm	piece	10	10	**3.20**
TR-0502	Classical V-Belt B-60	Norvane	NV-B60	Dimensions 17 × 11 mm, Li 1524 mm	piece	10	10	**5.10**
TR-0503	Timing Belt HTD 8M, 800 mm × 20 mm	Norvane	NV-8M-800-20	Dimensions 800 × 20 mm	piece	2	2	**12.40**
TR-0504	Roller Chain 08B-1, 5 m	Norvane	NV-08B1-5	Dimensions Pitch 12.7 mm	box	1	2	**18.00**
TR-0505	Chain Sprocket 08B, 18 Teeth	Norvane	NV-SP08B-18	Dimensions Pilot bore 12 mm	piece	2	2	**7.60**
TR-0506	Jaw Coupling L100	Norvane	NV-JC-L100	Dimensions Max bore 35 mm	piece	2	2	**14.90**
TR-0507	Worm Gearbox 1:30, Size 50	Tessgard	TG-WG50-30	Weight 4.6 kg Operating specification Ratio 1:30, input IEC 71/80	piece	1	1	**96.00**